

*LinDen*

*KenSon*

Taiwanese Technology • Malaysian Productivity



Decades of proven  
Quality and Standard



LinDen

KenSon

**embraco**  
**Danfoss**  
**KULTHORN COMPRESSOR**  
**Tecumseh**

**Powerful & Well-known Compressors**

**Highly Effective Condensor**

**High Gloss Surface Pre-painted Steel**

**Touch Screen Automatic Digital Controller**

**Strong & Efficient Evaporator**

**High Visibility Heated Glass**

*\*Fully Imported Taiwanese Components and Materials*

Linden & Kenson Commercial Display Refrigerators are manufactured with Top-Quality Colourbond steel sheet and CFC Free Polyurethane foam for an excellent heat insulation that guarantees optimum results for cooling performance even under the strictest F&B environment.

**Frame Colour Option:**



Silver



Gold



Black

**Authorised Dealer:**

# Linden



**1 Door**

LINDEN (CHILLER)	MODEL1	MODEL2
<b>Model</b>	LD-E-C1-S (Small Body)	LD-E-C1-L (Big Body)
<b>External Dimension (mm)</b>	640 x 700 x 2070	640 x 800 x 2070
<b>Internal Dimension (mm)</b>	550 x 550 x 1420	550 x 650 x 1420
<b>Epoxy Coated Shelves</b>	5 (Standard)	
<b>Temperature (Celsius°)</b>	0°C to 8°C	
<b>Defrost System</b>	Auto Electric Defrost	
<b>Temperature Control</b>	Digital Control	
<b>Product Origin</b>	Taiwan	



**2 Door**

LINDEN (CHILLER)	MODEL1	MODEL2
<b>Model</b>	LD-E-C2-S (Small Body)	LD-E-C2-L (Big Body)
<b>External Dimension (mm)</b>	1260 x 700 x 2070	1260 x 800 x 2070
<b>Internal Dimension (mm)</b>	1150 x 550 x 1420	1150 x 650 x 1420
<b>Epoxy Coated Shelves</b>	10 (Standard)	
<b>Temperature (Celsius°)</b>	0°C to 8°C	
<b>Defrost System</b>	Auto Electric Defrost	
<b>Temperature Control</b>	Digital Control	
<b>Product Origin</b>	Taiwan	



**3 Door**

LINDEN (CHILLER)	MODEL1	MODEL2
<b>Model</b>	LD-E-C3-S (Small Body)	LD-E-C3-L (Big Body)
<b>External Dimension (mm)</b>	1878 x 700 x 2070	1878 x 800 x 2070
<b>Internal Dimension (mm)</b>	1770 x 550 x 1420	1770 x 650 x 1420
<b>Epoxy Coated Shelves</b>	15 (Standard)	
<b>Temperature (Celsius°)</b>	0°C to 8°C	
<b>Defrost System</b>	Auto Electric Defrost	
<b>Temperature Control</b>	Digital Control	
<b>Product Origin</b>	Taiwan	



**1 Door**

## KENSON (FREEZER)

<b>Model</b>	KS-P-F1
<b>External Dimension (mm)</b>	640 x 800 x 2070
<b>Internal Dimension (mm)</b>	550 x 650 x 1420
<b>Blower System</b>	UF 036
<b>Epoxy Coated Shelves</b>	5 (Standard)
<b>Temperature (Celsius°)</b>	-18°C and above
<b>Defrost System</b>	Auto Electric Defrost
<b>Temperature Control</b>	Digital Control
<b>Product Origin</b>	Taiwan



**2 Door**

## KENSON (FREEZER)

<b>Model</b>	KS-P-F2
<b>External Dimension (mm)</b>	1260 x 800 x 2070
<b>Internal Dimension (mm)</b>	1150 x 650 x 1420
<b>Blower System</b>	UF 087
<b>Epoxy Coated Shelves</b>	10 (Standard)
<b>Temperature (Celsius°)</b>	-18°C and above
<b>Defrost System</b>	Auto Electric Defrost
<b>Temperature Control</b>	Digital Control
<b>Product Origin</b>	Taiwan



**3 Door**

## KENSON (FREEZER)

<b>Model</b>	KS-P-F3
<b>External Dimension (mm)</b>	1878 x 800 x 2070
<b>Internal Dimension (mm)</b>	1770 x 650 x 1420
<b>Blower System</b>	UF 105
<b>Epoxy Coated Shelves</b>	15 (Standard)
<b>Temperature (Celsius°)</b>	-18°C and above
<b>Defrost System</b>	Auto Electric Defrost
<b>Temperature Control</b>	Digital Control
<b>Product Origin</b>	Taiwan